AUTHOR INDEX

Aderibigbe, A.O. and Church, D.C. (Oyo State, Nigeria)
Evaluation of cardboard and dried poultry waste as feed ingredients for ruminants 209
Aherne, F.X., *see* Baidoo, S.K. et al.
Andries, J.I. Buysse, F.X., de Brabander, D.L. and Cottyn, B.G. (Melle-Gontrode, Belgium)
Isoacids in ruminant nutrition: their role in ruminal and intermediary metabolism and possible influences on performances - a review 169
Baidoo, S.K., Aherne, F.X. (Edmonton, Alb., Canada), Mitaru, B.N. and Blair, R. (Saskatoon, Sask., Canada)
Canola meal as a protein supplement for growing-finishing pigs 37
Baidoo, S.K., Aherne, F.X. (Edmonton, Alb., Canada), Mitaru, B.N. and Blair, R. (Saskatoon, Sask. Canada)
The nutritive value of canola meal for early-weaned pigs 45
Barnes, D.A., *see* Brown, D.L. et al.
Ben-Ghedalia, D. and Solomon, R. (Bet-Dagan, Israel)
The effect of dietary barley on carbohydrate digestibility of sulphur dioxide-treated wheat straw by sheep 55
Blair, R., *see* Baidoo, S.K. et al.
Brice, R.E., *see* Robinson, P.H. et al.
Brown, D.L., Barnes, D.A., Rezende, S.A., and Klasing, K.C. (Davis, CA, U.S.A.)
Yield, composition and feeding value of irrigated *Sesbania sesban* var. *Nubia* leaves harvested at latitude 38° N during a Mediterranean summer 247
Brunnen, J.M., *see* Clark, P. et al.
Brunnen, J.M., *see* Givens, D.I. and Brunnen, J.M.
Buysse, F.X., *see* Andries, J.I. et al.
Charmley, E. and Greenhalgh, J.F.D. (Aberdeen, Gt. Britain)
Nutritive value of three cultivars of triticale for sheep, pigs and poultry 19
Church, D.C., *see* Aderibigbe, A.O. and Church, D.C.
Clark, P., Givens, D.I. and Brunnen, J.M. (Stratford-upon-Avon, Gt. Britain)
The chemical composition, digestibility and energy value of fodder-beat roots 225
Coppock, C.E., Lanham, J.K. and Horner, J.L. (College Station, TX, U.S.A.)
A review of the nutritive value and utilization of whole cottonseed, cottonseed meal and associated by-products by dairy cattle 89
Cottyn, B.G., *see* Andries, J.I. et al.
De Brabander, D.L., *see* Andries, J.I. et al.
Deschard, G., *see* Tetlow, R.M. et al.
Deschard, G., Tetlow, R.M. and Mason, V.C. (Maidenhead, Gt. Britain)
Treatment of whole-crop cereals with alkali. 3. Voluntary intake and digestibility studies in sheep given immature wheat ensiled with sodium hydroxide, urea or ammonia 283
Doran, B.E., *see* Goetsch, A.L. et al.
Fegeros, K., *see* Papadopoulos, G. et al.
Fontenot, J.P., *see* Rao, N.M. and Fontenot, J.P.
Funk, M.A., *see* Goetsch, A.L. et al.
Genizi, A., *see* Goldman, A. et al.
Givens, D.I. and Brunnen, J.M. (Stratford-on-Avon, Gt. Britain)
Nutritive value of naked oats for ruminants 83

Givens, D.I., *see* Clark, P. et al.
Goetsch, A.L (Fayetteville, AR, U.S.A.), Owens, F.N., Funk, M.A. and Doran, B.E. (Stillwater, OK, U.S.A.)
Effect of whole or ground corn with different forms of hay in 85% concentrate diets on digestion and passage rate in beef heifers 151
Goldman, A., Genizi, A., Yulzari, A. and Seligman, N.G. (Bet Dagan, Israel)
Improving the reliability of the two-stage in vitro assay for ruminant feed digestibility by calibration against in vivo data from a wide range of sources 233
Greenhalgh, J.F.D. *see* Charmley, E. and Greenhalgh, J.F.D.
Hansen, P., *see* Opstvedt, J. et al.
Horner, J.L., *see* Coppock, C.E. et al.
James, K.A.C., *see* Smith, W.C. et al.
Johnson, W.L., *see* van Eys, J.E. et al.
Karamitros, D. (Giannitsa, Greece)
Sugar beet molasses for growing fattening pigs 131
Klasing, K.C., *see* Brown, D.L. et al.
Lanham, J.K., *see* Coppock, C.E. et al.
Mason, V.C., *see* Deschard, G. et al.
Mason, V.C., *see* Tetlow, R.M. and Mason, V.C.
Mason, V.C., *see* Tetlow, R.M. et al.
Mitaru, B.N., *see* Baidoo, S.K. et al.
Morrison, I.M., *see* Robinson, P.H. et al.
Moughan, P.J., *see* Smith, W.C. et al.
Opstvedt, J., Sbstad, G. and Hansen, P. (Bergen, Norway)
Fish protein concentrates for pre-ruminant calves: effects of processing temperatures and sources of fish on protein digestibility and biological value 181
Owens, F.N., *see* Goetsch, A.L. et al.
Papadopoulos, G. and Ziras, E. (Athens, Greece)
Nutrient composition of Greek cottonseed meal 295
Papadopoulos, G., Fegeros, K. and Ziras, E.
Evalution of Greek cottonseed meal. 2. Use in rations for fattening pigs 303
Pearson, G. *see* Smith, W.C. et al.
Pulungan, H., *see* van Eys, J.E. et al.
Rangkuti, M., *see* van Eys, J.E. et al.
Rao, N.M. and Fontenot, J.P. (Blacksburg, VA, U.S.A.)
Ensiling of rumen contents and blood with wheat straw 67
Rezende, S.A., *see* Brown, D.L. et al.
Robinson, P.H. (Lelystad, The Netherlands), Brice, R.E. and Morrison, I.M. (Ayr, Gt. Britain)
Effect of straw treatment and laboratory of incubation on degradation of neutral detergent residue in the rumen 75
Sbstad, G., *see* Opstvedt, J. et al.
Seligman, N.G., *see* Goldman, A. et al.
Smith, W.C., Moughan, P.J., Pearson, G. and James, K.A.C. (Palmerston North, New Zealand)
Comparative bioavailable energy values of five ground cereal grains measured with growing rats and pigs 143
Solomon, R., *see* Ben-Ghedalia, D. and Solomon, R.
Tetlow, R.M. and Mason, V.C. (Maidenhead, Gt. Britain)
Treatment of whole-crop cereals with alkali. 1. The influence of sodium hydroxide and ensiling on the chemical composition and in vitro digestibility of rye, barley and wheat crops harvested at increasing maturity and dry matter content 257

Tetlow, R.M., Mason, V.C. and Deschard, G. (Maidenhead, Gt. Britain)
Treatment of whole-crop cereals with alkali. 2. Voluntary intake and digestibility by sheep of rye, barley and wheat crops ensiled with sodium hydroxide 271
Tetlow, R.M., *see* Deschard, G. et al.
Van Es, A.J. H. (Lelystad, The Netherlands)
Book review of *The Voluntary Food Intake of Farm Animals* 166
Van Eys, J.E., Johnson, W.L. (Raleigh, NC, U.S.A.) Pulungan, H. and Rangkuti, M. (Bogor, Indonesia)
Cassava meal as supplement to napier grass diets for growing sheep and goats 197
Verde, L.S. (Balcarce, Argentina)
Book review of *Research Methodology for Livestock On-Farm Trials*, Thomas L. Nordblom, Awad El Karim Hamid Ahmed and Gordon R. Potts (Editors) 165
Wood, J.F. (London, Gt. Britain)
The functional properties of feed raw materials and their effect on the production and quality of feed pellets 1
Yulzari, A., *see* Goldman, A. et al.
Ziras, E., *see* Papadopoulos, G. and Ziras, E.
Ziras, E., *see* Papadopoulos, G. et al.

SUBJECT INDEX

Alkali
Treatment of whole-crop cereals with alkali. 1. The influence of sodium hydroxide and ensiling on the chemical composition and in vitro digestibility of rye, barley and wheat crops harvested at increasing maturity and dry matter content 257
Treatment of whole-crop cereals with alkali. 2. Voluntary intake and digestibility by sheep of rye, barley and wheat crops ensiled with sodium hydroxide 271
Treatment of whole-crop cereals with alkali. 3. Voluntary intake and digestibility studies in sheep given immature wheat ensiled with sodium hydroxide, urea or ammonia 283
Alkaloids
Yield, composition and feeding value of irrigated *Sesbania sesban* var. *Nubia* leaves harvested at latitude 38°N during a Mediterranean summer 247
Assays
Improving the reliability of the two-stage in-vitro assay for ruminant feed digestibility by calibration against in-vitro data from a wide range of sources 233
Barley
The effect of dietary barley on carbohydrate digestibility of sulphur dioxide-treated wheat straw by sheep 55
Effect of straw treatment and laboratory of incubation on degradation of neutral detergent residue in the rumen 75
Treatment of whole-crop cereals with alkali. 1. The influence of sodium hydroxide and ensiling on the chemical composition and in vitro digestibility of rye, barley and wheat crops harvested at increasing maturity and dry matter content 257
Treatment of whole-crop cereals with alkali. 2. Voluntary intake and digestibility by sheep of rye, barley and wheat crops ensiled with sodium hydroxide 271
Blood
Ensiling of rumen contents and blood with wheat straw 67
Broiler chickens
Yield, composition and feeding value of irrigated *Sesbania sesban* var. *Nubia* leaves harvested at latitude 38°N during a Mediterranean summer 247
Calves
Fish protein concentrates for pre-ruminant calves: effects of processing temperatures and source of fish on protein digestibility and biological value 181
Canavanine
Yield, composition and feeding value of irrigated *Sesbania sesban* var. *Nubia* leaves harvested at latitude 38°N during a Mediterranean summer 247
Canola meal
Canola meal as a protein supplement for growing–finishing pigs 37
The nutritive value of canola meal for early-weaned pigs 45
Carbohydrate
The effect of dietary barley on carbohydrate digestibility of sulphur dioxide-treated wheat straw by sheep 55
Cardboard
Evaluation of cardboard and dried poultry waste as feed ingredients for ruminants 209
Cassava meal
Cassava meal as supplement to napier grass diets for growing sheep and goats 197
Cattle
A review of the nutritive value and utilization of whole cottonseed, cottonseed meal and associated by-products by dairy cattle 89

Effects of whole or ground corn with different forms of hay in 85% concentrate diets on digestion and passage rate in beef heifers 151
Isoacids in ruminant nutrition: their role in ruminal and intermediary metabolism and possible influences on performances — a review 169
Fish protein concentrates for pre-ruminant calves: effects of processing temperatures and source of fish on protein digestibility and biological value 181

Cereals
Nutritive value of three cultivars of triticale for sheep, pigs and poultry 19
Comparative bioavailable energy values of five ground cereal grains measured with growing rats and pigs 143
Treatment of whole-crop cereals with alkali. 1. The influence of sodium hydroxide and ensiling on the chemical composition and in vitro digestibility or rye, barley and wheat crops harvested at increasing maturity and dry matter content 257
Treatment of whole-crop cereals with alkali. 2. Voluntary intake and digestibility by sheep of rye, barley and wheat crops ensiled with sodium hydroxide 271
Treatment of whole-crop cereals with alkali. 3. Voluntary intake and digestibility studies in sheep given immature wheat ensiled with sodium hydroxide, urea or ammonia 283

Chemical Composition
The chemical composition, digestibility and energy value of fodder-beet roots 225
Treatment of whole-crop cereal with alkali. 1. The influence of sodium hydroxide and ensiling on the chemical composition and in vitro digestibility of rye, barley and wheat crops harvested at increasing maturity and dry matter content 257
Nutrient composition of Greek cottonseed meal 295

Chickens
Yield, composition and feeding value of irrigated *Sesbania sesban* var. *Nubia* leaves harvested at latitude 38° N during a Mediterranean summer 247

Chromic oxide
Comparative bioavailable energy values of five ground cereal grains measured with growing rats and pigs 143

Corn
Effects of whole or ground corn with different forms of hay in 85% concentrate diets on digestion and passage rate in beef heifers 151

Cottonseed
A reveiw of the nutritive value and utilization of whole cottonseed, cottonseed meal and associated by-products by dairy cattle 89

Cottonseed Meal
Nutrient composition of Greek cottonseed meal 295
Evaluation of Greek cottonseed meal. 2. Use in rations for fattening pigs 303

Degradation
Effect of straw treatment and laboratory of incubation on degradation of neutral detergent residue in the rumen 75

Digestibility
The effect of dietary barley on carbohydrate digestibility of sulphur dioxide-treated wheat straw by sheep 55
Nutritive value of naked oats for ruminants 83
Fish protein concentrates for pre-ruminant calves: effects of processing temperatures and source of fish on protein digestibility and biological value 181
The chemical composition, digestibility and energy value of fodder-beet roots 225
Improving the reliability of the two-stage in-vitro assay for ruminant feed digestibility by calibration against in-vitro data from a wide range of sources 233

Treatment of whole-crop cereals with alkali. 1. The influence of sodium hydroxide and ensiling on the chemical composition and in vitro digestibility of rye, barley and wheat crops harvested at increasing maturity and dry matter content 257
Treatment of whole-crop cereals with alkali. 2. Voluntary intake and digestibility by sheep of rye, barley and wheat crops ensiled with sodium hydroxide 271
Treatment of whole-crop cereals with alkali. 3. Voluntary intake and digestibility studies in sheep given immature wheat ensiled with sodium hydroxide, urea or ammonia 283

Digestion
Effects of whole or ground corn with different forms of hay in 85% concentrate diets on digestion and passage rate in beef heifers 151

Diets
A reveiw of the nutritive value and utilization of whole cottonseed, cottonseed meal and associated by-products by dairy cattle 89
Sugar beet molasses for growing and fattening pigs 131
Effects of whole or ground corn with different forms of hay in 85% concentrate diets on digestion and passage rate in beef heifers 151
Cassava meal as supplement to napier grass diets for growing sheep and goats 197
Evaluation of cardboard and dried poultry waste as feed ingredients for ruminants 209
Yield, composition and feeding value of irrigated *Sesbania sesban* var. *Nubia* leaves harvested at latitude 38° N during a Mediterranean summer 247
Evaluation of Greek cottonseed meal. 2. Use in rations for fattening pigs 303

Energy values
Comparative bioavailable energy values of five ground cereal grains measured with growing rats and pigs 143

Ensiling
Ensiling of rumen contents and blood with wheat straw 67
Treatment of whole-crop cereal with alkali. 1. The influence of sodium hydroxide and ensiling on the chemical composition and in vitro digestibility of rye, barley and wheat crops harvested at increasing maturity and dry matter content 257
Treatment of whole-crop cereals with alkali. 2. Voluntary intake and digestibility by sheep of rye, barley and wheat crops ensiled with sodium hydroxide 271
Treatment of whole-crop cereals with alkali. 3. Voluntary intake and digestibility studies in sheep given immature wheat ensiled with sodium hydroxide, urea or ammonia 283

Feed
The Voluntary Food Intake of Farm Animals (book review) 166
Evaluation of cardboard and dried poultry waste as feed ingredients for ruminants 209
Improving the reliability of the two-stage in-vitro assay for ruminant feed digestibility by calibration against in-vitro data from a wide range of sources 233

Feed pellet durability
The functional properties of feed raw materials and their effect on the production and quality of feed pellets 1

Feed production
The functional properties of feed raw materials and their effect on the production and quality of feed pellets 1

Fish protein
Fish protein concentrates for pre-ruminant calves: effects of processing temperatures and source of fish on protein digestibility and biological value 181

Fodder-beet
The chemical composition, digestibility and energy value of fodder-beet roots 225

Goats
Cassava meal as supplement to napier grass diets for growing sheep and goats 197

Hay
Effects of whole or ground corn with different forms of hay in 85% concentrate diets on digestion and passage rate in beef heifers 151
Heifers
Effects of whole or ground corn with different forms of hay in 85% concentrate diets on digestion and passage rate in beef heifers 151
Ingredients
The functional properties of feed raw materials and their effect on the production and quality of feed pellets 1
Intake
Canola meal as a protein supplement for growing-finishing pigs 37
The nutritive value of canola meal for early-weaned pigs 45
The Voluntary Food Intake of Farm Animals (book review) 166
Treatment of whole-crop cereals with alkali. 2. Voluntary intake and digestibility by sheep of rye, barley and wheat crops ensiled with sodium hydroxide 271
Treatment of whole-crop cereals with alkali. 3. Voluntary intake and digestibility studies in sheep given immature wheat ensiled with sodium hydroxide, urea or ammonia 283
Isoacids in ruminant nutrition: their role in ruminal and intermediary metabolism and possible influences on performances — a review 169
Livestock trials
Research Methodology for Livestock On-Farm Trials (book review) 165
Milk replacers
Fish protein concentrates for pre-ruminant calves: effects of processing temperatures and source of fish on protein digestibility and biological value 181
Molasses
Sugar beet molasses for growing and fattening pigs 131
Napier Grass
Cassava meal as supplement to napier grass diets for growing sheep and goats 197
Nutrients
Nutrient composition of Greek cottonseed meal 295
Nutrition
Nutritive value of three cultivars of triticale for sheep, pigs and poultry 19
Canola meal as a protein supplement for growing-finishing pigs 37
The nutritive value of canola meal for early-weaned pigs 45
Nutritive value of naked oats for ruminants 83
A reveiw of the nutritive value and utilization of whole cottonseed, cottonseed meal and associated by-products by dairy cattle 89
Isoacids in ruminant nutrition: their role in ruminal and intermediary metabolism and possible influences on performances — a review 169
Oats
Nutritive value of naked oats for ruminants 83
Paper
Evaluation of cardboard and dried poultry waste as feed ingredients for ruminants 209
Passage rate
Effects of whole or ground corn with different forms of hay in 85% concentrate diets on digestion and passage rate in beef heifers 151
Performance
Canola meal as a protein supplement for growing-finishing pigs 37
The nutritive value of canola meal for early-weaned pigs 45
A reveiw of the nutritive value and utilization of whole cottonseed, cottonseed meal and associated by-products by dairy cattle 89

Sugar beet molasses for growing and fattening pigs 131
Isoacids in ruminant nutrition: their role in ruminal and intermediary metabolism and possible influences on performances — a review 169
Pigs
Nutritive value of three cultivars of triticale for sheep, pigs and poultry 19
Canola meal as a protein supplement for growing–finishing pigs 37
The nutritive value of canola meal for early-weaned pigs 45
Sugar beet molasses for growing and fattening pigs 131
Comparative bioavailable energy values of five ground cereal grains measured with growing rats and pigs 143
Evaluation of Greek cottonseed meal. 2. Use in rations for fattening pigs 303
Poultry
Nutritive value of three cultivars of triticale for sheep, pigs and poultry 19
Poultry Waste
Evaluation of cardboard and dried poultry waste as feed ingredients for ruminants 209
Protein
The functional properties of feed raw materials and their effect on the production and quality of feed pellets 1
Canola meal as a protein supplement for growing–finishing pigs 37
The nutritive value of canola meal for early-weaned pigs 45
Rats
Comparative bioavailable energy values of five ground cereal grains measured with growing rats and pigs 143
Research methods
Research Methodology for Livestock On-Farm Trials (book review) 165
Rumen
Ensiling of rumen contents and blood with wheat straw 67
Effect of straw treatment and laboratory of incubation on degradation of neutral detergent residue in the rumen 75
Ruminants
Nutritive value of naked oats for ruminants 83
Isoacids in ruminant nutrition: their role in ruminal and intermediary metabolism and possible influences on performances — a review 169
Evaluation of cardboard and dried poultry waste as feed ingredients for ruminants 209
Improving the reliability of the two-stage in-vitro assay for ruminant feed digestibility by calibration agains in-vitro data from a wide range of sources 233
Rye
Treatment of whole-crop cereals with alkali. 1. The influence of sodium hydroxide and ensiling on the chemical composition and in vitro digestibility of rye, barley and wheat crops harvested at increasing maturity and dry matter content 257
Treatment of whole-crop cereals with alkali. 2. Voluntary intake and digestibility by sheep of rye, barley and wheat crops ensiled with sodium hydroxide 271
Sesbania sesban var. *Nubia*
Yield, composition and feeding value of irrigated *Sesbania sesban* var. *Nubia* leaves harvested at latitude 38°N during a Meditaerranean summer 247
Sheep
Nutritive value of three cultivars of triticale for sheep, pigs and poultry 19
The effect of dietary barley on carbohydrate digestibility of sulphur dioxide-treated wheat straw by sheep 55
Nutritive value of naked oats for ruminants 83
Cassava meal as supplement to napier grass diets for growing sheep and goats 197

Treatment of whole-crop cereals with alkali. 2. Voluntary intake and digestibility by sheep of rye, barley and wheat crops ensiled with sodium hydroxide 271
Treatment of whole-crop cereals with alkali. 3. Voluntary intake and digestibility studies in sheep given immature wheat ensiled with sodium hydroxide, urea or ammonia 283
Starch
The functional properties of feed raw materials and their effect on the production and quality of feed pellets 1
Straw
The effect of dietary barley on carbohydrate digestibility of sulphur dioxide-treated wheat straw by sheep 55
Ensiling of rumen contents and blood with wheat straw 67
Effect of straw treatments and laboratory of incubation on degradation of neutral detergent residue in the rumen 75
Sugar beet
Sugar beet molasses for growing and fattening pigs 131
Treatments
The effect of dietary barley on carbohydrate digestibility of sulphur dioxide-treated wheat straw by sheep 55
Effect of straw treatment and laboratory of incubation on degradation of neutral detergent residue in the rumen 75
Fish protein concentrates for pre-ruminant calves: effects of processing temperatures and source of fish on protein digestibility and biological value 181
Evaluation of cardboard and dried poultry waste as feed ingredients for ruminants 209
Treatment of whole-crop cereals with alkali. 1. The influence of sodium hydroxide and ensiling on the chemical composition and in vitro digestibility of rye, barley and wheat crops harvested at increasing maturity and dry matter content 257
Treatment of whole-crop cereals with alkali. 2. Voluntary intake and digestibility by sheep of rye, barley and wheat crops ensiled with sodium hydroxide 271
Triticale
Nutritive value of three cultivars of triticale for sheep, pigs and poultry 19
Wheat
The effect of dietary barley on carbohydrate digestibility of sulphur dioxide-treated wheat straw by sheep 55
Ensiling of rumen contents and blood with wheat straw 67
Treatment of whole-crop cereals with alkali. 1. The influence of sodium hydroxide and ensiling on the chemical composition and in vitro digestibility of rye, barley and wheat crops harvested at increasing maturity and dry matter content 257
Treatment of whole-crop cereals with alkali. 2. Voluntary intake and digestibility by sheep of rye, barley and wheat crops ensiled with sodium hydroxide 271
Treatment of whole-crop cereals with alkali. 3. Voluntary intake and digestibility studies in sheep given immature wheat ensiled with sodium hydroxide, urea or ammonia 283